

JB / Geological bibliography of Poland for 1955. C-2
Bukowski and M. W. Bukowska, Inst. Geol. Poland No.
28, 1-103(1957). Michael Fleischer

BUKOWSKI, Czesław Zygmunt, BUKOWSKA, Maria Wanda

POLISH mineralogical bibliography 1950 and supplements for
the years 1951-75 ... Archiw min 25 no.1/2,303-327 1981
[publ. '85].

BUKOWSKI, Janusz; GRZYBOWSKI, Janusz; KLISZCZ, Wacław; SZUBINSKI,
Mirosław; MASZKOWSKI, Zbigniew; ZIAREK, Stanisław

Polarographically active sulfur groups in experimental traumatic
shock. Acta physiol. Pol. 16 no.3:441-444 My-Je ' 65.

1. I Klinika Chirurgiczna Śląskiej AM w Zabrze (Kierownik: prof.
dr. St. Szyszko) i Szpital Powiatowy w Kozlu (Dyrektor: dr.
Zdzisław Teleszynski).

BUKOWSKI, J.

"Technical Museum." P. 210, (PRZEGLAD TECHNICZNY, Vol. 75, No. 6, June 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 1, Jan. 1955 Uncl.

BUKOWSKI, J.

Michal Broszko; an obituary. p. 3. Vol. 2, no. 1, 1955 Warszawa
ARCHIWUM HYDROTECHNIKI

SOURCE: East European Accession List (EEAL) Library of Congress
Vol. 5, no. 8, August 1956

BUKOWSKI, J.

Prevention of fire in warehouses of units of automotive
transportation. p. 271 MOTORYZACJA, Warszawa. Vol. 10, no. 9.
Sept. 1955

SOURCES: East European Acession (EEAL) Library of Congress
Vol. 5, no. 8, August 1956.

LUKOWSKI, J.

LUKOWSKI, J. Labor safety and hygiene in warehouses. p. 365.

Vol. 10, No. 12, Dec. 1955

MATERIALY BUDOWLANE

TECHNOLOGY

Warszawa, Poland

So: East European Accession, Vol. 5, No. 5, May 1956

BUKOWSKI, Jerzy

BUKOWSKI, Jerzy and KORCIEPINSKI, Stefan: Gospodarka Materialami w Jednostkach
Transportu Samochodowego (Management of Supplies in Motor Transport Units)
Warsaw: Transport Publications, 1957, 215 pp. 15 zl.

AUTHOR: Bukowski, Jerzy, Professor POL-8-58-5-2/13

TITLE: Conclusion of the Last Will of Czesław Witoszyński on 10th Anniversary of His Death (Wnioski z testamentu Czesława Witoszyńskiego w dziesiątą rocznicę zgonu)

PERIODICAL: Technika Lotnicza, 1958, Nr 5, pp 125-126 (POL)

ABSTRACT: This article gives a brief summary of Professor C. Witoszyński achievements in the field of aviation. It mentions deceased aircraft designers whose designs enabled Poland to take a place among air minded countries. It further urges engineers, designers and aviation friends to further creative work in the aviation field.

Card 1/1

10(0)

PHASE I BOOK EXPLOITATION

POL/3258

Bukowski, Jerzy

Mechanika płynów (Fluid Mechanics) Warsaw, Państwowe wyd-wa
naukowe, 1959. 444 p. Errata slip inserted. 5,200 copies
printed.

PURPOSE: This textbook on fluid mechanics is intended for students
in higher technical schools.

COVERAGE: This book treats problems in hydraulics and fluid
mechanics. Questions in hydrostatics, viscous and non-viscous
fluid flow, kinematics, liquid flow in pipes, boundary layer
turbulence, etc. are discussed. A chapter on gasdynamics by J.
Rościszewski is included. The author thanks W. Kwaśniakowa,
Docent W. Prosnak, and Master of Engineering T. Zalewski. There
are 12 references: 7 Soviet, 3 German, 1 English, and 1 Polish.

TABLE OF CONTENTS:

From the Author

~~Card 1/13~~

9

BUKOWSKI, K.

Distr: 4E2c(j)

Plasticizer for chlorinated rubber. Instytut Farb i Lakierów (by M. Taniewski, K. Bukowski, and D. Szambierska). Pol. 40,732, July 30, 1958. A plasticizer has been obtained from linseed oil, condensed to a final viscosity <10 poise, with air bubbled through. K. Bojanowska

5
1-JAJ(NB)
1

.ADAMSKI, L.; BAJBOR, Z.; DABEK, W.; KOZIEL, J.; SUWALSKI, W.; BOUZYK, J.;
BUKOWSKI, K.; DABROWSKI, C.; KUBOWSKI, J.; RZESZOT, T.; SZECHTER, A.

Critical and exponential assemblies at the Institute of Nuclear
Research, Warszawa-Swierk. Nukleonika 9 no.7/8:539-550 '64

1. Institute of Nuclear Research, Warszawa-Swierk.

BUKOWSKI, Kazimierz

Antigenic structure of the genus *Pasteurella multocida*. Zesz
probl post nauk roln no.33:27-34 '61.

1. Katedra Mikrobiologii, Wydział Weterynaryjny, Szkoła Główna
Gospodarstwa Wiejskiego, Warszawa
Kierownik: prof. dr. Juliusz Brill

BUKOWSKI, Kazimierz

Growth requirements of the species *Pasteurella multocida*.
Zesz probl post nauk roln no.33:35-41 '61.

1. Katedra Mikrobiologii, Wydział Weterynaryjny, Szkoła Główna
Gospodarstwa Wiejskiego, Warszawa
Kierownik: prof. dr. Juliusz Brill

BUKOWSKI, Kazimierz

Determination of *Pasteurella multocida* colonies of the M type in decapsulation tests by testicular hyaluronidase and hyaluronidase of *Erysipelothrix insidiosa*. Zesz probl post nauk roln no.46:25-32 '64.

Influence of the egg yolk on the growth and survival of *Pasteurella multocida* in liquid media. Ibid.:33-37

1. Department of Microbiology, Faculty of Veterinary Medicine,
Central College of Agriculture, Warsaw. Head: Prof. Dr. Juliusz
Brill.

BUKOWSKI, Konstanty

Vinyl chloride copolymers with vinylidene chloride as
film forming substances. Polimery tworzą wielk 8 no. 11: 436-
438 N '63.

1. Instytut Farb i Lakierów, Gliwice.

BUKOWSKI, L.

Forest planting in the German Democratic Republic. p. 28.

IAS POLSKI. (Ministerstwo Lesnictwa oraz Stowarzyszenie Naukowo-Techniczne
Inzynierow i Technikow Lesnictwa i Przemictwa) Warszawa, Poland.
Vol. 29, no. 5, May 1959.

Monthly list of East European Accessions (SEAI) LC, Vol. 9, no. 2, Feb. 1960

Uncl.

POMYKALA, Stanislaw, mgr inz.; BUKOWSKI, Luszczan, mgr inz.

Universal spot welder for fine wires and thin sheets. Techn lotn
19 no.10/11:283 O-N '64.

BUKOWSKI, Lucjan, mgr inz.

Aparatus for dynamic calibration of resistance strain gauges
under high temperatures. Techn lotn 20 no.2:50 F '65.

BUKOWSKI, P.

BUKOWSKI, P.

"Soaking Pits And Methods Of Heating Ingots For Forged Parts" p. 167. (Mechnik,
Vol. 26, no. 4, Apr. 1953, Warszawa)

East European Vol. 3, No. 2,
SO: Monthly List of ~~Accessions~~ Accessions, /Library of Congress, February, 1954, Uncl.

Bukowski, P.

BUKOWSKI, P.

"Methods of Heating Materials During Forging", p. 51, (TECHNIK, Vol. 27, No. 2, Feb. 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (REAL), LG, Vol. 4, No. 5, May 1955, Uncl.

Bukowski, P.

BUKOWSKI P.

"Advanced Methods of Forming Metals in the Soviet Union", p. 249, (TECHNIK, Vol. 27, No. 9, Sept. 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EML), LC, Vol. 4, No. 5, May 1955, Uncl.

BUKOWSKI, P.

BUKOWSKI, P. The problem of the durability of dies for heat forging and pressing.
p. 257. Vol. 29, no. 7, July 1956. MECHANIK. Warszawa, Poland.

SOURCE: East European Accessions List (EEAL) Vol. 6, No. 4--April 1957

BUKOWSKI, P.

A conference on plastic forming of metals in Moscow. p. 163. (Mechanik, Vol. 30, No. 4, Apr 1957, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957. Uncl.

BUKOWSKI, Piotr, Prof.

Modern die forging. Techn motor 11 no.9:291-298 S '61.

BUKOWSKI, Piotr, mgr., inż.

Studies on the possibility of reclaiming steel from sintered chips. Mechanik 35 no.2:70-75 '62.

1. Przedsiębiorstwo Projektów i Dostaw Inwestycyjnych, Warszawa

BUKOWSKI, P.

"Forging and pressing" by J. Jarocki, P. Wasiunyk. Pt. 2. Reviewed by
P. Bukowski. Mechanik 34 no.9:476-477 '61.

BUKOWSKI, Piotr

Analysis of the production capacity and economic effects of
a forging press in comparison with a forging hammer. Problemy
proj hut maszyn 11 no.10:300-306 0'63

1. Bepes, Warszawa.

BUKOWSKI, Piotr; HAENDEL, Ignacy

An example of solving a technological problem by using the electronic digital computer. Problemy proj hut maszyn 11 no.11:352-354 N '63.

1. Przedsiębiorstwo Projektowania i Dostaw Inwestycyjnych, Warszawa.

BUKOWSKI, S. 18

DESIGNATION OF TYPES OF STEELS IN U.S.S.R. St. Bukowski.
 (Insyn i Budow, 1948, May, p 233 (in Polish): (Abstract)
 Mecanique Documentation, 1948, vol 3, Nov., p 1). A
 table gives different types of steels produced in the U.S.S.R.
 with their mechanical properties.

ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION

SOURCE										SUBJECT										CLASSIFICATION									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

EUKOWSKI, S.

Proposed standards in the field of terminology. p.181
(PRZEGŁAD BUDOWLANI, Vol. 28, No. 4, Apr. 1956, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 9, Sept. 1957, Uncl.

BUKOWSKI, S.

Principles of the dimensional in industrial construction;
modular coordination. p. 54.

NORMALIZACJA. (Polski Komitet Normalizacyjny) Warszawa, Poland.
Vol. 27, No. 2, Feb 1959

Monthly List of East European Accessions Index (EEAI), LC, Vol. 8, No. 11,
November 1959
Uncl.

1ST AND 2ND ORDERS										100 AND 4TH ORDERS									
BUKOWSKI, ... <i>C.A.</i>										PROCESSES AND PROPERTIES INDEX									
Folium digitalis and tinctura digitalis in the Polish Pharmacopoeia II. St. Bukowski and T. Kolano. <i>Wia-domosci Farm.</i> 65, 270-81, 297-R(1938); <i>Chem. Zentr.</i> 1938, I, 181.—The directions given in this publication for the stabilisation, water and ash standards, storage, and dosage of folium digitalis are critically compared with the 1 corresponding directions in the D. A. B. VI and the Pharm. Helvetica V. <i>To the same attention ... W. A. Moore</i>																			
ASM-A DETALLURGICAL LITERATURE CLASSIFICATION										100000 HEP ONE ONE									
100000 HEP ONE ONE										100000 HEP ONE ONE									

BENIECKI, S.; BUKOWSKI, S.; RYLSKI, L.

Side alkaloids of so-called sak. Acta Poloniae pharm. 11 Suppl.:
36 1955.

1. Zakład Technologii Chemicznej Środków Leczniczych A. M. w
Warszawie.

(MORPHINE, preparation of,
intermediate prod. sak, isolation of codeine)

(CODEINE, determination,
in intermediate product of morphine synthesis sak)

BUKOWSKI, S.

POLAND/Chemical Technology. Chemical Products and Their
Application, Part 3. - Drugs, Vitamins, Anti-
biotics.

H

Abs Jour: Referat. Zhurnal Khimiya, No 21, 1958, 71763.

Author : Stanislaw Bukowski.

Inst :

Title : Serial Dosage of Liquids in Drug-Store and
Laboratory Practice.

Orig Pub: Farmac. polska, 1956, 12, No 10, 262-265.

Abstract: No abstract.

Card : 1/1

...BUKOWSKI, St., mgr

Jan Modlinski; obituary. Farmacja Pol 19 no. 15/16:
351 25 Ag '63.

PURKINS, Elizabeth

for a proper examination in packing, delivery, installation
and contrivances. (Purkins, 601 00 000, 4/1/89 140 11, 14- 84.)

BUKOWSKI, Stanislaw

For proper terminology in pharmacy. Farmacja Pol 20 no.9/10:
364-369 25 My '64.

BUKOWSKI, Stanislaw, mgr.

Pharmacophilia as a social problem. Farmacja Pol. 19 no.19/20:
407-410 25 0'63.

*

BUKOWSKI, Stanislaw, mgr inz.

Most advantageous size and weight of prefabricated parts for manual setting as seen from the point of view of labor efficiency. Przegl budowl i bud mieszk 33 no.9:577-578 S.'61.

BUKOWY, Stanislaw

Profile of Jurassic and Cretaceous in Raciborowice near Krakow.
Rocz geol Krakow 32 no.2:197-209 '62

1. Instytut Geologiczny, Terenowa Stacja Gornoslaska, Sosnowiec.

BUKOWSKI, Tadeusz

Bukowski, Tadeusz, Nauka polska w sluzbie posteru. [Wyd. 1. Warszawa] Wydawn.
Ministerstwa Obrony Narodowej [1952] 68 p. illus. [Polish science in the service
of progress. ports., bibl.]

SO: Monthly List of East European Accessions, LC, Vol. 3, No. 5, May 1954/Uncl.

POL. 4

✓ The effect of ethylene dichloride on the germination of spores of *Agaricus horiensis*. T. Bukowski (Wytwórnia, Grzybnia Pieczarek, Warsaw, Poland). *Acta Microbiol. Polon.* 3, 395-7(1954).--Ethylene dichloride ($C_2H_4Cl_2$) vapors (1) stimulate germination of *A. horiensis*, which germinated after 8-10 days when exposed to 1 for 5 min, to 3 min after 8-10 days when exposure time increased, and, hrs. On longer exposure the sporulation time increased, and 1 week's exposure inhibited it completely. The exposure to 1 for 3 hrs. killed all the bacteria in the culture. The sporulation time of unexposed controls was 14-21 days.

I. Z. Roberts

Bukowski, T.

BUKOWSKI, T.

"Technique of Collecting Spores from Mushrooms for Germination Purposes",
P. 399, (ACTA MICROBIOLOGICA POLONICA, Vol. 3, No. 4, 1954, Warsaw, Poland)

SO: Monthly List of East European Accessions (FEAL), LC, Vol. 4, No. 3,
March 1955, Uncl.

BUKOWSKI, T.; LEVIN, P. [translator]; SAVEDANO, V.B., redaktor; PERESYPKINA, Z.D., tekhnicheskiiy redaktor

[Growing mushrooms. Translated from the Polish] Razvedenie shampin'onov.
Perevod s pol'skogo P.Lovina. Moskva, Gos. izd-vo selkhoz. lit-ry,
1956. 70 p. (MIRA 10:2)
(Mushrooms)

COUNTRY	: Hungary	B-5
CATEGORY	:	
ABS. JOUR.	: RZKhim., No. 21 1959, No.	73997
AUTHOR	: Fathy, F. and <u>Bukowszky, F.</u>	
INST.	: Not given	
TITLE	: An Elementary Method for the Calculation of Crystal Lattice Energies.	
ORIG. PUB.	: Magyar Fiz Folyoirat, 6, No 5, 453-475 (1958)	
ABSTRACT	: No abstract.	

CARD: 1/1

BUKOWY, Adam

Optimation of the strategy of digital computers for data processing in defect cases. Automatyka Gliwice no.3:21-49 '63.

1. Department of Control Theories of the Silesian Technical University, Gliwice.

BUKOWY, Adam

Program optimalization of digital computers controlling industrial technological processes. Automatyka Gliwice no.4:49-68 '63.

1. Department of Control Theories of the Silesian Technical University, Gliwice.

BUKOWY, Adam, mgr inż.

Sampled data relay control. Automatyka Gliwice no.1:25-32 '61.

1. Zakład Teorii Regulacji, Politechnika Śląska, Gliwice.

P/034/62/000/001/003/004
D242/D303

AUTHOR: Bukowy, Adam, Master of Engineering

TITLE: Electrical simulation of heat exchangers

PERIODICAL: Pomiary, Automatyka, Kontrola, no. 1, 1962, 27 - 30

TEXT: An electrical heat exchanger simulator is described. Results are compared from the simulator and the heat exchanger. The author uses equations for the heat exchange as given by V. Takahashi (Ref. 5: Regeltechnische Eigenschaften von Gleich- und Gegenstromwärmeaustauscher. Regelungstechnik, nr. 2, 1953). The simulator was built according to G. Kourim (Ref. 4: Die elektrische Nachbildung der instationären thermischen Vorgänge beim Wärmeaustauscher. Regelungstechnik, nr. 5, 1957, s. 163 - 167). The simulator was checked on a particular example. Calculations for the simulator are given. The circuits for separators used in the simulator are given in Figs. 7 and 9. Both these separators have a large resistance at the output. There was very good agreement between results as obtained from the simulator and the actual exchanger for the parallel flow. The agreement for cross-flow was satisfactory. In the best Card 1/3

Electrical simulation of heat ...

P/034/62/000/001/003/004
D242/D303

cases the agreement between results was within several percent; the author therefore thinks that a simulator having between 6 - 10 elements is sufficient. He also found the simulator easy in use. It was designed and made at Katedra automatyki przemysłowej politechniki Śląskiej w Gliwicach (Department of Industrial Automation of the Silesian Polytechnic Institute, Gliwice). The author acknowledges the cooperation of Doctor Z. Trybalski, Head of that Department. There are 16 figures and 5 non-Soviet-bloc references. The references to the English-language publications read as follows: J.M. Mozley, Predicting dynamics of concentric pipe heat exchangers. Industrial and Engineering Chemistry. June 1956, L.C. Vogel, R.F. Kruger, An analogue computer for studying heat transfer during thermal recovery process. Trans. of AIME, v. 204, 1955; A.G. Goulet, E.B. Cave, Analogue solution of heat conduction problems. Electrical Engineering (1954) 73, H.3.

ASSOCIATION: Katedra elektroautomatyki przemysłowej politechniki Śląskiej (Department of Industrial Electrical Automation at the Silesian Polytechnic Institute)

Card 2/3

ACCESSION NR: AT4022938

P/2536/63/000/003/0021/0049

AUTHOR: Bukowy, Adam

TITLE: Optimizing the strategy of digital computers for malfunctions

SOURCE: Gliwice. Politechnika Slaska. Zeszyty naukowe, no. 83, 1963.
Automatyka (Automation), no. 3, 21-49

TOPIC TAGS: digital computer, digital computer strategy, digital computer
strategy optimization, production process control, process control, automatic
quality control, diode matrix

ABSTRACT: The chances of suppressing the consequences of a malfunction in the
faulted state of a production process are the greater when the location of the
malfunction is found the quicker. Article is an attempt to produce such a
method for finding the malfunction so that spreading of the effects of this
malfunction could be prevented. A programming system in the form of a diode
matrix, abbreviating the searching time, is given. This matrix contains
9 lines instead of 15 after the first simplification. This matrix can be

Card 1/3

ACCESSION NR: AT4022938

further simplified by eliminating those diodes which are not absolutely necessary from the point of view of those which are already doubled by other diodes with respect to the numbers introduced to the matrix input. The matrix diagram for a search method is shown in Figure 01 of the Enclosure. "In conclusion, author wishes to thank Professor Doctor S. Węgrzyn for directing this study as well as Mr. Grunberg of the CAE firm for initiating this problem and fruitful discussion." Orig. art. has: 17 figures.

ASSOCIATION: Katedra Teorii Regulacji (Department of Control Theory)

SUBMITTED: 03Jan63

DATE ACQ: 10Apr64

ENCL: 01

SUB CODE: CG, GE

NO REF SOV: 000

OTHER: 000

Card 2/3 2

ACCESSION NR: AT4022943

P/2536/63/000/004/0049/0068

AUTHOR: Bukowy, Adam

TITLE: Optimization of programs for computers controlling industrial production processes

SOURCE: Gliwice. Politechnika Slaska. Zeszyty naukowe, no. 90, 1963. Automatyka (Automation) no. 4, 49-68

TOPIC TAGS: control system, production process control, automatic control system, control scanning frequency, transport algorithm, computer, Shannon sampling, industrial production control

ABSTRACT: The computer controlling a production process scans the cyclical information coming in from the system and work out commands on their basis. The operation of computer in an automatic control system rests upon receipt of data concerning the condition of the system, computing and generating input signals as well as of providing safety measures in the event of a malfunction. Disturbances appearing in the system can create economic losses whose

Card 1/3 *z*

ACCESSION NR: AT4022943

reduction or elimination can take place only during the following scanning cycle. Present paper is an attempt to select a scanning frequency which would supply data from appropriately selected points in the system and with which the anticipated economic losses resulting from external disturbances would be at a minimum. The selection of the scanning frequency was based on the so-called transport algorithm. Author expands this method to the problem of minimization of information losses in the case when the throughput of the information channels is insufficient. The block diagram for the optimum search in this case is shown in Figure 01 of the Enclosure. Orig. art. has: 14 figures

ASSOCIATION: Katedra Teorii Regulacji (Department of Control Theory)

SUBMITTED: 00

DATE ACQ: 13Apr64

ENCL: 01

SUB CODE: CQ, MM

NO REF SOV: 000

OTHER: 000

Card

2/3 2

ACCESSION NR: AT4040995

P/2536/64/000/005/0021/0029

AUTHOR: Bukowy, Adam

TITLE: Some limitations in the use of integral forms of the Lyapunov function

SOURCE: Gliwice. Politechnika Slaska. Zeszyty naukowe, no. 102, 1964.
Automatyka, no. 5, 21-29

TOPIC TAGS: differential equation, nonlinear differential equation, first order differential equation, second order differential equation, Lyapunov function, Lyapunov integral, nonlinear system stability, system stability, motion stability

ABSTRACT: The stability of electrical systems and control circuits which are described by nonlinear first or second order differential equations can best be analyzed by the Lyapunov theorems. An analysis of the stability of a solution to a nonlinear differential equation of the form

$$x^{(n)} + a_{n-1} x^{(n-1)} + \dots + a_2 \ddot{x} + a_1 \dot{x} + a_0 x = 0 \quad (1)$$

and equilibrium point $x = \bar{x} = \bar{x} = \dots = x^{(n-1)} = 0$ where $A_1, A_2, A_3 \dots A_{n-1}$ are the functions $x, \dot{x}, \ddot{x} \dots x^{(n-1)}$ can be effected through the application of the above-mentioned theorems concerning the stability of motion. Good results

Card 1/2

ACCESSION NR: AT4040995

can be obtained with use of the integral form of the Lyapunov function provided the functional coefficients in the equation are single-valued and unlooped. The author also shows the feasibility of applying integral forms of the Lyapunov function for the case where the coefficients are ambiguous functions. "In conclusion I should like to express my sincere thanks to Prof. Dr. S. Wegrzyn for his encouragement and fruitful discussions during the preparation of this study." Orig. art. has: 5 figures and 8 equations.

ASSOCIATION: Katedra Teorii Regulacji (Department of Control Theory)

SUBMITTED: 16Dec63

ENCL: 00

SUB CODE: IE, MA

NO REF SOV: 001

OTHER: 001

Card 2/2

BUKOFI, S.

TECHNOLOGY

PERIODICAL: PREEGLAD GEOGICNY. Vol. 6, no. 2, Feb. 1958.

BUKOFI, S. Remarks on the structure of the southwestern part of the Leningrad basin. p. 62.

Monthly List of East European Accessions (EEAI) IC Vol. 8, no. 4
April 1959, Unclass.

BUKOWY, Stanislaw

New data concerning the Upper Carboniferous near Krakow. Przegl
geol 8 no.10:537-538 0 '60. (EEAI 10:9)

(Poland---Geology)

~~BUKOWY, Stanisław~~

Notes on the origin of iron contained in Dogger of the Silesia-Krakow anticlinorium. Kwartalnik geol 5 no.1:101-107 '61.

1. Gornoslaska Stacja Terenowa Instytutu Geologicznego w Warszawie.

BUKOWY, Stanislaw

Notes on the mineralization of Paleozoic rocks in the neighborhood of Krakow. Kwartalnik geol 5 no.2:338-344 '61.

1. Gornoslaska Stacja Instytutu Geologicznego.

BUKOWY, Stanislaw

POLAND

BUKOWY, Stanislaw; CEBULAK, Stefan

Upper Silesian Field Station, Geological Institute
(Gornoslaska Stacja Terenow Instytutu Geologicznego)(both)

Warsaw, Kwartalnik Geologiczny, No 3, 1963, pp 535-36.

"Problem of the Age of Magmatism of the Silesio-Crakovian
Antiklinorium".

BUKOWY, S.; CEBULAK, S.; SŁOSARZ, J.

Possibilities of polymetallic deposits occurring in the
northwestern border region of the Upper Silesian Coal Basin.
Przeł geol 11 no.5:226-228 My '63.

1. Gornoslaska Stacja Terenowa, Instytut Geologiczny, Sosnowiec.

POLAND

BOJKOWSKI, Karol; BUKOWY, Stanislaw

Upper Silesian Section, Geological Institute (Oddzial Gornoslaski,
Instytut Geologiczny), Sosnowiec (for both)

Warsaw, Acta geologica polonica, No 2, Apr-Jun 1966, pages 201-228

"Facies zones of the Lower Carboniferous in the Silesian-Crakovian
anticlinorium."

SAYDAKOV, V.A., inzh.; BUKRABA, M.S., inzh. 6

Hot forging in small-lot production. Mashinostroenie no.3:35-37
My-Je '62. (MIRA 15:7)

1. Proyektnyy konstruktorsko-tekhnologicheskiy institut Kiyevskogo
sovnarkhoza.

(Forging)

17

CA

Moisture determination in synthetic camphor. A. Bukreev: *Formulirovaniye* 9, No. 2, 38-9 (1940).—For simple, accurate detn. of 0.4% H_2O (or more) a 4- or 5-g. sample is shaken with 25 ml. petroleum ether in a tube of special design. Toluene, Et_2O , and other org. solvents are unsatisfactory.

Julian F. Smith

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

3RD AND 4TH ORDERS

COMMON ELEMENTS

COMMON VARIANTS INDEX

ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND ORDERS

3RD AND 4TH ORDERS

COMMON ELEMENTS

COMMON VARIANTS INDEX

BUKREYEV, A. I.

PA 13/49T15

USSR/Chemistry - Phytin
Chemistry - Chemical Industry

Feb 48

"Decreasing the Expenditure of Acid and Soda in
Phytin Production," A. I. Bukreyev, Experimental
Lab, Kursk Phar Works, 2 $\frac{1}{2}$ pp

"Med Prom SSSR" No 2

Describes improved method of manufacturing phytin.
Bukreyev's factory will save about 10 tons of
100% sulfuric acid and 20 tons of calcined soda
during 1948.

13/49T15

BUKREYEV, A. I.

Rapid method of determining the total quantity of alkali metal
oxides in glass. Stek. i ker. 20 no.3:32-35 Mr '63.
(MIRA 16:4)

(Metallic oxides) (Glass--Analysis)

BUKHAYEV, A.T.

Syphilis of the thyroid gland. Izv.AN Kazakh.SSR Ser.khir. no.1:
192-193 '47. (MLRA 9:8)

1. Propedevticheskaya khirurgicheskaya klinika Kazakhskogo Gosudar-
stvennogo meditsinskogo instituta imeni V.M.Molotova.
(THYROID GLAND--SYPHILIS)

KUZ'MINOV, Grigoriy Petrovich, dots., kand. tekhn. nauk; BEL'SKIY, I.R.,
prof., kand. tekhn. nauk, retsenzent; BUKREYEV, B.A., retsenzent;
ROBIN, V.A., dots., kand. tekhn. nauk, retsenzent; SHULESHOV,
V.F., dots., kand. tekhn. nauk, retsenzent; YAKOVLEV, N.A.,
retsenzent; BEZGODOVA, L.V., red.; URITSKAYA, A.D., tekhn. red.

[Thermal electric power plants in the lumbering industry] Teplo-
silovye ustanovki lesnoi promyshlennosti; uchebnoe posobie dlia
studentov vseh fakul'tetov. Leningrad, Vses. zaachnyi leso-
tekhn. in-t, 1962. 198 p. (MIRA 16:8)

1. Glavnyy spetsialist otdela energetiki GLT (for Bukreyev).
2. Nachal'nik otdela energetiki Gosudarstvennogo instituta po
proyektirovaniyu lesnogo transporta (for Yakovlev).
(Electric power plants)

L 45518-66 T-2/EWP(f) WW

ACC NR: AP6016917 (A) SOURCE CODE: UR/0104/66/000/002/0005/0008

AUTHOR: Bukreyev, B. A. (Engineer); Tandler, M. M. (Engineer); Yakovlev, N. A. (Engineer); Uvarov, S. N. (Candidate of technical sciences); Uspenskiy, A. N. (Candidate of technical sciences) 56
B

ORG: none

TITLE: Electric generating stations with AI-20 gas turbines 21

SOURCE: Elektricheskiye stantsii, no. 2, 1966, 5-8

TOPIC TAGS: gas turbine, turboprop engine, electric power plant, power generating station / AI-20 gas turbine

ABSTRACT: In 1964, plans and blueprints were developed by the Giprolestrans Planning Institute of stationary, quick-assembled, and transportable AI-20 turboprop-engine-driven electric power plants. Such a 50-cps, 6.3-kv plant is to have a capacity of 1250, 1600, 2000, or 4000 kw. Sketches of the stationary and transportable plants are shown. Estimates show that such a plant will be economical if it is operated as a peak-load station, up to 3000-4000 hrs per year, and particularly if it uses a partly worn-out airplane engine. Orig. art. has: 4 figures and 1 table.

SUB CODE: 10, 0921/ SUBM DATE: none / ORIG REF: 003

Card 1/1

UDC: 621.311.23

BUKREYEV, BORIS YAKOVLEVICH

DECEASED

SEE ILC

PHYSIO/MATHENMATICS

L1200

8/194/62/000/007/021/160
D222/D309

9.7/00

AUTHOR: Bukreyev, I.N.

TITLE: On the construction of high-speed control computers

PERIODICAL: Referativnyy zhurnal. Avtomatika i radioelektronika, no. 7, 1962, abstract 7-1-105 1. (In collection: Pri-
meneniye vychisl. tekhn. dlya avtomatiz. proiz-va,
M., Mashgiz, 1961, 419 - 426)

TEXT: It is pointed out that control functions can be fulfilled by two types of digital computers - digital differential analyzers and arithmetical control computers. The first type is simpler in construction and has a high operating speed; the second type of computer has great flexibility and is of a general-purpose nature. General considerations are given on the matching of the frequency characteristics of a system with the pass-band of the computer both for the control of a single or several objects. Even in the case of controlling a single object the operating speed must reach tens and hundreds of thousands of operations per second. According to the principle used for carry-over from the less significant digits to
Card 1/3

On the construction of high-speed ...

S/194/62/000/007/021/160
D222/D309

the most significant ones adders can be tentatively divided into classes: adders in which addition of binary numbers is done in parallel for all digits, taking into account the carry-over from the previous digit for each position (in order to speed up the carry-over these circuits use lines for through carry propagation, which are composed of chains of series connected diodes); adders, in which the carries are determined in advance and sorted in a register for a subsequent adding in two phases; adders, in which special logical circuits determine the total carry-over from a group of digits; adders, in which the probability properties of the carry propagation sequence are utilized. A method of adding binary numbers devised in the fiziko-kibernetich. otdel' Instituta fiziki AN GSSR (Physical and Cybernetical Department of the Physics Institute of the AS GSSR) is described. In this method the mantissae of the numbers to be added are divided, including the overflow digits (a_n, b_n), into strictly alternating groups of the first and second kind, and these groups are formed during the successive inspection of identical digits beginning from the least significant one. A group of the first kind always ends with digits from the first met combinations of numbers $a_1 = 1, b_1 = 1$; and a group of the second

Card 2/3

On the construction of high-speed ...

S/194/62/000/007/021/160
D222/D309

kind ends with a combination $a_1 = 0$, $b_1 = 0$. Simple rules for the addition of groups of the first and second kinds are given. Here there is no need to follow any sequence in the addition of the various digits. The logical circuit of the adder and of a circuit controlling the output of results are given and described. 2 figures..
[Abstracter's note: Complete translation.]

Card 3/3

CHAVCHANIDZE, V.V.; BUKREYEV, I.N.; MIKELADZE, Z.N.; KUMSISHVILI, V.A.

A new method for adding and subtracting binary digits by
high-speed digital computers. Trudy Inst.fiz.AN Gruz.SSR
8:313-321 '62. (MIRA 16:2)
(Electronic digital computers)

S/119/63/000/002/004/014
A004/A127

AUTHORS: Bukreyev, I.N., Manukyan, Yu.S., Elizbarashvili, O.A.

TITLE: Slave sweep of high-speed oscillograph

PERIODICAL: Priborostroyeniye, no. 2, 1963, 9 - 11

TEXT: An analysis of the existent sweep generator circuits reveals that circuits with vacuum-electron tubes possess the highest triggering stability and relatively low lag times in comparison with circuits fitted with thyratrons. One of the circuits ensuring a stable synchronization at high repetition rates of the pulses to be investigated is the h-f high-speed slave sweep operating from every pulse at a repetition rate of up to 3 Mc. The authors present the block diagram of a high speed oscillograph slave sweep and a detailed description of a "saw-type" triggering oscillator. The analyzed circuit can be used both under the "slave" and "self-oscillating" condition. The change-over of the circuit from the "slave" condition to the "self-oscillating" condition and vice versa is performed by changing the cathode potentials of the Π_2 (L_2) and Π_5 (L_5) tubes. There are 4 figures and 1 table.

Card 1/1

BUKREYEV, N. V., and Miroshmichenko, K. T.

"Presence of Glutathione in Healthy Sheep and Its Change During Experimental Brucellosis"

Tr. In-ta Veterinari Kazakh. Fil. VASKhNIL, No 6, 1954, 37-42

Author studied the pathogenesis of brucellosis and carried out biochemical investigations of the blood of healthy and diseased sheep with respect to glutathione and its fractions. An increase of the amount of oxidized glutathione was observed in sheep with experimental brucellosis. (RZhBiol, No 9, May 1955)

SO: Sum-No 787, 12 Jan 56

DUKREYEV, N. V.

✓ The content of glutathione in healthy sheep and its changes in experimental brucellosis. N. V. Dukreev and K. T. Miroschnichenko. *Trudy Inst. Vet. Kazakh. Filiala Vsesoyuz. Akad. Sci'skokhoz. Nauk im. V. I. Lenina* 6, 37-42 (1947-1952); *Referat. Zhur. Khim., Biol. Khim.* 1955, No. 17377. — Data were made for total, oxidized, and reduced glutathione (I) in the blood of healthy sheep and in sheep having exptl. brucellosis (method of Woodward and Fry, *C.A.* 26, 5599). Considerable variations were noted in the content of various fractions of I in normal and sick animals. On the basis of av. values it was concluded that introduction of live *Brucella* into the organism causes an increase in the content of oxidized I in the blood; the introduction of a antireticular serum into the infected animals considerably lowered the content of oxidized I in the blood. B. S. L.

BUCHNEV, Kirill Nikolayevich; RED'KO, Andrey Semenovich;
BUKREYEV, Nikolay Vasil'yevich; NAZARENKO, L., red.;
NAGIBIN, P., tekhn. red.

[Rabies of farm animals and its control] Beshenstvo
sel'skokhoziaistvennykh zhiivotnykh i mery bor'by s nim.
Alma-Ata, Kazsel'khozgiz, 1962. 49 p. (MIRA 17:2)

MIKHALCHENKOV, M.; BUKREYEV, P.

Plans for collective farm repair shops. Sel'. stroi. 13 no.6:22-24
(MIRA 11:6)
Je. '58.

1. Direktor instituta "Rosgiprosel'stroy" Ministerstva sel'skogo khozyay-
stva RSFSR (for Mikhalchenkov). 2. Nachal'nik tekhnicheskogo otdela
instituta "Rosgiprosel'stroy" Ministerstva sel'skogo khozyaystva RSFSR
(for Bukreyev).
(Agricultural machinery--Maintenance and repair)

BUK^yMEV, P. Aleksandrovich.

(Water-proofing and draining of defense and non-defense installations) Moskva,
Gos. izd-vo stroit. lit-ry, 1943. 123 p. (49-57902)

TA901.B8

BUKREEV, P Aleksandrovich.

(Prefabricated metal and wooden warehouses) Moskva, izd-vo Akademii
arkhitektury SSSr, 1944. 110 p. (50-43083)

TH1098.B35

MIKHALCHENKOV, M.; GANZHA, V.; BUKREYEV, P.

Republic State Institute for the Planning of Agricultural
Construction works for rural builders. Sel'. stroi. 15
no. 3:27-28 Mr '61. (MIRA 14:5)

1. Direktor instituta "Rosgiprosel'khozstroy" (for Mikhachenkov).
2. Glavnyy inzh. instituta "Rosgiprosel'khozstroy" (for Ganzha).
3. Nachal'nik tekhnicheskogo otdela instituta "Rosgiprosel'khoz-
stroy" (for Bukreyev).

(Construction industry)

BUKREYEV, P., inzh.; RASKOPIN, G., arkhitektor; GOL'DENBERG, arkhitektor

Village buildings for cultural and service purposes. Zhil. stroi.
no.6:24-26 '62. (MIRA 15:7)

(Public buildings)

MIKHALCHENKOV, M.; BUKREYEV, P.

What is the Russian Institute for the Design and Planning of
Rural Construction working on. Sel'. stroi. 13 no.10:30
0 '58. (MIRA 11:10)

1. Direktor instituta "Rosgiprosel'stroy (for Mikhailchenkov).
2. Nachal'nik tekhnicheskogo otдела instituta "Rosgiprosel'stroy"
(for Bukreyev).

(Farm buildings)

MIKHALCHENKOV, M.; BUKREYEV, P.; AKSEL'ROD, A., kani. arkhitektury

Results of the open competition for farmhouse designs. Sel'.stroi. 13
no.2:19-21 F '59. (MIRA 12:3)

1. Direktor instituta "Rosgiprosel'stroy" (for Mikhailchenkov). 2. Na-
chal'nik tekhnicheskogo otdela instituta "Rosgiprosel'stroy" (for
Bukreyev).

(Farmhouses)

(Architecture--Designs and plans--Competitions)

BUKREYEV, P.

Yards for making precast reinforced concrete. Sel'. stroi. 14 no.7:
22-24 Jl '59. (MIRA 12:10)

1. Nachal'nik tekhnicheskogo otdela "Rosgiprosel'stroya" Ministerstva
sel'skogo khozyaystva RSFSR.
(Precast concrete)

BUKREYEV, P., inzh.; BRYKIN, V., arkhitektor; RASEOPIN, G., arkhitektor

Standard plans for construction in rural areas of the
Russian Federation. Zhil.stroi. no.1:6 Ja '60.

(MIRA 13:5)

(Architecture, Domestic--Designs and plans)

HUKREYEV, P.

Buildings serving cultural and public needs for rural
construction. Sel'.stroil. 15 no.6:27-29 Je '60.
(MIRA 13:8)

1. Nachal'nik tekhnicheskogo otdela instituta "Rosgiprosel'stroy"
Ministerstva sel'skogo khozyaystva RSFSR.
(Architecture--Designs and plans)

MIKHALCHENKOV, M.; BUKREYEV, P.

Contributions of the State Institute for the Planning of Rural
Construction of the R.S.F.S.R. to rural builders. Sel'. stroy.
15 no.3:27 Mr '60. (MIRA 16:2)

1. Direktor instituta Rosgiprosel'stroy (for Mikhachchenkov).
2. Nachal'nik tekhnicheskogo otdela Instituta Rosgiprosel'stroy
(for Bukreyev).

(Farm buildings)

MIKHALCHENKOV, M.; ~~BUKREYEV~~, P.; AYZENBERG, G.

Cow barn with a span of 18 m. without interior columns.
Sel'. stroi. 18 no.5:26-27 My '63. (MIRA 16:6)

1. Direktor instituta Rosgiprosel'khozstroy (for Mikhailchenkov).
 2. Nachal'nik tekhnicheskogo otdela instituta Rosgiprosel'-khozstroy (for Bukreyev).
 3. Institut Rosgiprosel'khozstroy (for Ayzenberg).
- (Dairy barns--Design and construction)

ACCESSION NR: AR4020785

S/0271/64/000/002/BO44/BO45

SOURCE: RZh. Avtomat., telemekh. i vy*chislitel. tekhnika, Abs. 2B281

AUTHOR: Bukreyev, I. N.; Chavchanidze, V. V.; Manukyan, Yu. S.; Sergeyenko, N. D.

TITLE: Circuit for distinguishing numbers in modulus in high speed electronic accumulators

CITED SOURCE: Tr. In-ta kibernetiki, AN GruzSSR, v. 1, 1963, 105-110

TOPIC TAGS: absolute comparator, accumulator, high-speed accumulator, absolute value comparison, computer, comparator circuit absolute value

TRANSLATION: A device is described for comparing the absolute values of two numbers A and B without subtraction operations or analysis of the result. The operation of the differentiator is based on a known method of comparing the absolute values when positional notation is used for the numbers. The method is roughly stated thus: the number whose left-hand digit is the top digit has the greater modulus. In the binary system the algorithm for comparing

Card 1/3 ✓

ACCESSION NR: AR4020785

the absolute values of two numbers A and B appears as follows: the identical bits of the numbers A and B are scanned sequentially beginning with the left-hand digit until the bits having different digits are found (10 or 01); the number having 1 in the indicated bit has the greater absolute value. The schematic diagram for realizing this principle is given (see enclosure). Four AND circuits in each bit are controlled by input triggers of the registers containing the numbers A and B. They determine the binary digit combinations 11, 00, 10, and 01. Signals from the AND circuits travel over two paths. When $A < B$ a signal appears at the output of the first path; when $A > B$ at that of the second. When neither of these signals is present, it means that $A = B$. Use of this number comparison method in accumulators makes it possible to add algebraically without having to convert the numbers into an auxiliary or inverse code. Orig. art. has 2 figs., 1 table, and 5 refs.

G. K.

DATE ACQ: 03Mar64

SUB CODE: AI

ENCL: 01

Card 2/37

ACCESSION NR: AR4020789

S/0271/64/000/002/B054/B054

SOURCE: RZh. Avtomat., telemekh. i vy*chislitel. tekhnika, Abs. 2B338

AUTHOR: Bukreyev, I. N.; Manukyan, Yu. S.; Ayazyan, A. A.; Kapilevich, I. B.

TITLE: Certain applications of UHF diode multiplexers in arithmetic units of discrete computers

CITED SOURCE: Tr. In-ta kibernetiki. AN GruzSSR, v. 1, 1963, 111-116

TOPIC TAGS: diode multiplexer, UHF diode multiplexer, discrete computer, arithmetic unit, waveguide commutator, carry circuit, successive carry circuit

TRANSLATION: A method is described for accelerating the operation of an arithmetic unit by using a waveguide commutator in the successive carry circuit. To fit this method into a computer, the parallel and series elements and circuits of the logic must be structurally distinct. Examples are given of the accumulator built on this principle, as well as of the waveguide unit using a D403V diode. Orig. art. has 4 refs. S. P.

DATE ACQ: 03Mar64

SUB CODE: SD, CP

ENCL: 00

Card 1/1

ZHUCHIN, D.I., inzh.; BESSARABENKO, A.I., inzh.; NEFEDOV, S.F.,
red.; BUKREYEV, P.A., inzh., nauchnyy red.; GORDEYEV, P.A.,
red. izd-va; MOCHALINA, Z.S., tekhn. red.

[Raising the technical level of rural construction]Indu-
strializatsiia sel'skogo stroitel'stva. Pod red. S.F.Ne-
fedova. Moskva, Gosstroizdat, 1962. 125 p.

(MIRA 15:10)

1. Akademiya stroitel'stva i arkhitektury SSSR. Nauchno-
issledovatel'skiy institut sel'skikh zdaniy i sooruzheniy.
2. Rukovoditel' sektorom ekonomiki i organizatsii stroitel'-
stva Nauchno-issledovatel'skogo instituta sel'skikh zdaniy i
sooruzheniy (for Zhuchin).

(Construction industry)

BUKREYEV, PI

BUKREYEV, P.I.; GUPPER, N.Z.

Beet unloader and piler designed by the Ukrainian Institute for
Designing and Planning in the Sugar Industry. Sakh. prom. 31
no.10:50-51 0 '57.

(MIRA 11:1)

1. Kalinovskiy remontno-mekhanicheskii zavod.
(Sugar industry--Equipment and supplies)

BUKREYEV, V.I., inzh.; VASIL'YEV, O.F., doktor tekhn.nauk; GLADYSHEV, M.T.

Graphoanalytic calculation of pressure in a hydraulic system
with an accumulator supply. Vest.mashinostr. 42 no.8:30-33
Ag '62. (MIRA 15:8)
(Hydraulic machinery)

BUKREYEV, V. Z.

PHASE I BOOK EXPLOITATION SOV/5897

Sakharov, G. I., V. V. Andreyevskiy, and V. Z. Bukreyev

Nagrev tel pri dvizhenii s bol'shimi sverkhzvukovymi skorostyami
(Heating of Bodies at High Supersonic Speeds) Moscow,
Oborongiz, 1961. 105 p. Errata slip inserted. 4800 copies
printed.

Sponsoring Agency: Ministerstvo vysshego i srednego spetsial'-
nogo obrazovaniya RSFSR.

Ed.: K. Ya. Zaytseva, Engineer; Ed. of Publishing House: N. G.
Kopylova; Tech. Ed.: A. Ya Novik; Managing Ed.: A. S.
Zaymovskaya, Engineer.

PURPOSE: This book is intended for senior aeronautical students
and may also be used by aeronautical design engineers.

COVERAGE: The authors have attempted to assemble the scattered
material on the aerodynamic heating of aircraft surfaces and

Card 1/6

Heating of Bodies at (Cont.)

SOV/5897

to present it in an intelligible form. A method is presented for calculating heat flows from the atmosphere to aircraft surfaces and from these surfaces back to the atmosphere. This method makes it possible to calculate the surface temperature for steady motion and to calculate the temperature of a high-specific-heat skin, on the basis of its thermal characteristics, for unsteady motion (takeoff, descent, acceleration). Certain problems connected with the effect of high temperatures on aircraft structures are discussed, and a brief review is given of the most important methods of surface protection against aerodynamic heating. A large number of graphs and tables are presented to aid in reducing mechanical calculations to a minimum. The proposed method for calculating thermal flows is applicable for altitudes up to 80-100 km and for speeds corresponding to Mach numbers from 2 to 15-20, with corrections for dissociation in the continuous-flow region. Calculations made by methods discussed in this book are in good agreement with calculations made by more exact methods such as the Van Driest method for the flat plate as well as for more complex

Card 2/6